

Message

From: Nonresponsive based on revised scope
Sent: 11/22/2019 8:26:51 PM
To: R3 Clients [R3_Clients@epa.gov]
CC: McDonald, Brandon [McDonald.Brandon@epa.gov]; Wagner, Christine [Wagner.Christine@epa.gov]
Subject: Submitted ARF 2.1 for Site: SHILOH CHURCH RD REMOVAL ACTION
Attachments: Shiloh Church_R3 ARF version d_DEC 2019.pdf; PCB_CRQLs - Copy.xls; ISM02.4_CRQLs - Copy.xls

Hello All,

Attached is an analytical request form for soil samples scheduled to be collected between Dec 2nd and 20th, 2019. I have attached the CRQLs. Please let me know if you have any questions.

Thank you,

Nonresponsive based on revised scope

This email will be sent to the following EPA staff as part of the email group R3_Clients:

Burman, Jarmael <Burman.Jarmael@epa.gov>; Caporale, Cynthia <Caporale.Cynthia@epa.gov>; Costa, Karen <Costa.Karen@epa.gov>; Costas, Robin <Costas.Robin@epa.gov>; Fortune, Warren <fortune.warren@epa.gov>; Ghimire, Aneesh <ghimire.aneesh@epa.gov>; Payne, Patrick <payne.patrick@epa.gov>; Poff, Kevin <Poff.Kevin@epa.gov>; Sassin, Pepa <Sassin.Pepa@epa.gov>

CONFIDENTIALITY: This email and attachments may contain information which is confidential and proprietary. Disclosure or use of any such confidential or proprietary information without the written permission of Weston Solutions, Inc. is strictly prohibited. If you received this email in error, please notify the sender by return e-mail and delete this email from your system. Thank you.